

Retail Food Establishment Inspection Report

Floyd County Health Department Telephone:812-948-4726

Based on an inspection this day, the item(s) noted below identify violations of 410 IAC 7-24, Indiana Retail Food Establishment Sanitation Requirements. The time limit for correction of each violation is specified in the narrative parties of this report.

Establishm	nent Name Hasa	ua.	Blues	Telephone Number	Date of In (mm/dd/y		PERMIT #	
Establishment Address (number and street, city, state, zip code)				10/5-11/2 /2/	- 11	101	18-112	
Establishin	\$20	Peo	rl St New Albany, IN4715	Ф	12.16	-19	110	
Owner Leo Lopez				Purpose:	Follow-up Release Date			
Owner's Address				1. Routine	/ 1000/			
Owners A	auress		-	2. Follow-up	Summary of Violations:			
Person in (harge			3. Complaint	$ _{\mathcal{C}} \otimes _{\mathcal{N}\mathcal{C}} \mathcal{Z}_{\mathcal{R}} \mathcal{I}$			
T CESON IN C	- /	eo	LopeZ	4. Pre-Operational				
Responsibl				5. Temporary	Menu Tv	pe (See back	(of page)	
·				6. HACCP		po (See See)	, o, page,	
Certified F	ood Mana	oer		7. Other (list)	$\begin{vmatrix} 1 & 2 \end{vmatrix}$	3	11/5	
		,	6-12-19		1	<u></u> 3	_4 <u> / 5</u>	
CRITICAL ITEMS ARE IDENTIFIED IN THE CHECKLIST AND NARRATIVE COLUMNS MARKED "C"								
• VIOLATION(S) REPEATED FROM PREVIOUS INSPECTIONS ARE DENOTED IN THE "SUMMARY OF VIOLATIONS" AND IN THE NARRATIVE BELOW AS "R"								
Section#	C/NC	R	Narrative			To Be C	orrected By	
218	NC	R	Observed standing water in Key cooler					
	-	Ť	and water dripping an	calmed cat	70	Lity	8,2010	
· · · · · · · · · · · · · · · · · · ·	Observed build-up of frost in freezer						012011	
<u> </u>	 	 	in back Storage room.					
<u>.</u> .	Observed door on left prep cooler							
·			to not be sealing p	property.				
423	123 NC Observed food establishment opining							
100	//	ļ						
· ·	directly into living quarters.							
	A Solid wall must be installed.							
- Find will returne July 8, 2019								
		<u> </u>	or atter	, 				
* CFH expires in 3 weeks.								
+ CFH expires in 3 weeks call for extension if needed.								
- (all for althus) as it receases								
				<u> </u>				
D(()	. (12121		<u> </u>				
Received by (name and title printed): Thomas Suider, EHS								
Received by (signature): Inspected by (signature):								
·			-d C	thunk	,	-		
cc:			ce:		cc:			